
### ICEMATIC BE COLD WITH STYLE



### 

ICE

### ICEMAKERS



MARACUJA

MODULAR CUBE

HO.RE.CA.



COCO **HOLLOW CUBE** 

HO.RE.CA.



### STORAGE BINS

### MANGO

Icematic storage bins, with an essential design, preserve ice for a long time assuring the maximum ease of use.

### DISPENSER

ွိဝိ

### TROPICAL

Vertical or freestanding, full cube or nugget ice dispensers are particularly useful in company cafeteria, self-service, canteens and hotels.

### ICEMATIC, ICE PROFESSIONALS

### Experience, competence and dedication, since 1963

The long journey in the professional refrigeration field, led us to the construction of efficient and functional machines for ice production, assuring a long durability over time and simplifying our customer's activities in Horeca sector, and more.

Ice produced by Icematic machines is used not only for cocktails and beverages preparations, but also in food production sector, in cosmetics, in spa centres and in medical facilities, being versatile and practical. It grants always the best quality standards.



The Icematic quality starts from raw materials: stainless steel is processed and assembled following the best Lean Production guidelines and techniques, and it takes on new life by applying the most advanced mechanical and technological systems for ice production and refrigeration.

One of our main goals is to bring added value through the innovation of our products, meeting customer's requirements. We manage the whole design and conception phase in Italy, in addition to the production and engineering processes: since 1995 our company is certified by ISO 9001 Quality Management System.

Our constant commitment is to anticipate and completely satisfy the most sophisticated customers exigencies, with an innovative, reliable, safe and durable product.

### OUR ADDED VALUE



### Rainbow Technology ® (Optional)

The evaporator is the beating heart of the refrigeration system and the device generating the formation of ice.

Icematic developed in its laboratories an additional high-efficiency protection system.

The Rainbow tech® is the patented nano-technological treatment that protects evaporators from aggressive agents as, for instance, those contained in some waters but also from wrong chemicals used for cleaning.

A very thin vitrification layer of the evaporator surface grants also a perfect detachment of ice cubes and an insignificant release of metals in the ice.

Furthermore, the limescale formation is reduced for a total durability and food safety.

The Rainbow tech® system is available on demand for: C, K, M.



### **Ozone Kit** (Optional)

Ice can be considered as food. For this reason, our mission is to provide the consumer with clean and organoleptically safe ice. Icematic is one of the very first manufacturers to include the use of Ozone to grant a state-of-the-art sanitization of its machines. Now more than ever, this is the best solution to assure the elimination of bacteria, germs and virus proliferation from food products. The Ozone sanitization system allows as well to halve the need

of maintenance by technicians and cleaning, reducing costs and increasing the machine durability. Icematic is unique for its patented management system of Ozone programmable cycle.






### 0

### **100% Natural Gas**

- Icematic commitment for
- environmental protection leads to
- design ecological machines with natural gas R290.
- This refrigerant grants low
- consumptions, more efficiency
- and maximum respect for the environment.
- The use of no CFC and HCFC assures a minimum environmental impact (GWP 3).

### APP MYICE











My Ice is available for the series: CHERRY COCO MARACUJA GRAPE BERRIES TROPICAL

### A matter of touch

The My Ice app grants the possibility to have full control of each single machine, via Bluetooth/Wi-Fi.

Icematic is proud to introduce the patented system for ice programmable production with this innovative app.

Through My Ice app, you can start your production cycles for a very defined and programmed quantity of ice, selecting the time when you want it available for use.

Additionally, it is possible to remotely control the current status of the machine, and adjust the storage capacity, with no need to touch or open the machine.

These pluses are a true added value to optimize production, while minimizing wastes and providing always freshly- made ice, avoiding the risk of bacterial proliferation.

Through My Ice app, you can start your production cycles for a very defined and programmed quantity of ice, selecting the time when you want it available for use. Additionally, it is possible to remotely control the current status of the machine, and adjust the storage capacity, with no need to touch or open the machine.

Managing your ice is a matter of touch on your smartphone, never so easy before.

### APP Your ice

### A new app to select your future icemaker!

Are you looking for an ice maker for your place? YOUR ICE is the new app developed by Icematic, which allows you to quickly and intuitively find the ice maker that suits your needs.


Based on your preferences and needs, you can select the perfect machine for you!


You just have to choose the sector, the position of the machine in your place and the type of ice you want to get. Our app will select the Icematic ice makers for you, meeting your needs.



	9:41		at	÷		
	Scelta mac	china				
	Settore principale					
	Bar					
	lipo di ghiaccio					
	Granulare	anulare				
	Massima larghezza macchina					
	1000 mm					
	Posizione macchina Sotto Tavolo					
Ghiaccio Kg/24h (32°C/21°C)						
	- <b>-</b> -(	250				
	200 kg/24h		275 kg/2			
	-15%		+5%			
	-20%		+10%	%		
	-25%		+15%	0		
Calcola Selezione						







# series CHERRY




BRIGHT CUBE

HO.RE.CA.







TRANSPARENCY

A full and structured ice cube, with rounded surface for a prolonged beverage cooling. Its particular transparency is highly appreciated in any context of use.

Compact and transparent, this ice is extremely elegant and efficient for various exigencies: ice buckets, cocktails, aperitifs and whisky on the rocks.

The Cherry series electronical management system allows complete access to all functions and service setting of the machine, by a simple touch on the capacitive control panel.

12

# CHERRY


## CHERRY



Cherry series icemakers grant a high production capacity, despite their compact dimensions.

A very essential design, for an easier placement in every single context.

- LARGE INCORPORATED
   STORAGE BIN CAPACITY
- STAINLESS STEEL BODY
- EASY-ACCESS FOR INTERNAL CLEANING AND MAINTENANCE
- SUPPLY CABLE WITH SCHUKO PLUG
- CAPACITIVE TOUCH CONTROL FOR STAND-BY AND RESET



# CHERRY

### $\mathcal{O}$

Fully electronic range of full-cube icemakers. in accordance with the strictest anti-pollution norms adopting R290 natural gas. Energy saving up to 25% compared with old models.

FRONTAL VENTILATION (EXCEPT FOR C28/ C28F)
USB ACCESS WITH

- PARAMETERS MEMORY
- AUTOMATIC WASHING **EVAPORATOR**
- ELECTRONIC SENSOR
- STORAGE BIN ELECTRONIC SENSOR

**Cherry - F range, fully** electronic, is available in R 134 gas.

### CHERRY C 28 Ø C 28 F



### CHERRY C 38 Ø C 38 F



**Dimensions (LXPXH)**: 400 x 480 x 600 mm Ice kg/24h: 28 (A) | 28 (W) Ø 25 (A) | 23 (W) Bin capacity: 7 kg



36 (A) | 36 (W) Bin capacity: 11,5 kg





#### **Dimensions (LXPXH)**: 500 x 540 x 690 mm Ice kg/24h: 46 (A) | 41 (W) Ø 41 (A) | 43 (W) Bin capacity: 15 kg

### CHERRY

C 70 Ø C 70 F



**Dimensions (LXPXH)**: 700 x 580 x 995 mm Ice kg/24h: 70 (A) | 75 (W) Ø 72 (A) | 70 (W) Bin capacity: 42 kg

#### 23 (A) | 21 (W) Bin capacity: 6,5 kg

Ice kg/24h:

28 (A) | 27 (W) Ø

**Dimensions (LXPXH)**: 340 x 480 x 600 mm

16

ICEMATIC

**Dimensions (LXPXH)**: 700 x 580 x 995 m Ice kg/24h: 86 (A) | 88 (W) Ø 89 (A) | 89 (W) Bin capacity: 42 kg



CHERRY C 90 Ø C 90 F

**Dimensions (LXPXH)**: 500 x 580 x 800 mm Ice kg/24h: 54 (A) | 54 (W) Ø 52 (A) | 54 (W) Bin capacity: 22 kg



CHERRY C 54 Ø C 54 F

### ACCESSORIES & OPTIONAL SERIES CHERRY



Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.



For adapting the ideal machine height, in the installation context.



For a safe and deep sanitization of your icemaker. Programmable cycle. Drain-pump Kit

External drain pump kit, compatible with all icemakers of the range.

# Cleaning Kit

Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.



Special external filter to avoid impurities accumulation inside the icemaker.





**ICE FLAVOUR** system is the brand new patent filed by Icematic, concerning the realization of icemakers that can produce aromatized ice, according to the timing and choices of the bartender, allowing the possibility to set the flavour intensity and to generate endless flavoured ice recipes.

This new added value will be managed also through MYICE APP, with a dedicated icon, giving to the customer the possibility to produce classic neutral ice or the aromatized version.

A real revolution in the way we use and taste ice!

Ice Flavour system won the **Smart Label Host Innovation Award 2023**, the award that better than any other recognizes the most advanced innovation and select the smartest solutions in the Italian and international Ho.Re.Ca world.

C 38 A-W 🖉



1.870 €



### C 54 A-W 🖉



2.280 €



### C 46 A-W 🖉



### 2.030 €



ICEMATIC

### **A WIDE RANGE OF AVAILABLE FLAVOURS**





FLAVOUR

Ä Ginger Flavour 250cl € 30

畄

H

Apricot

Flavour

250cl

€ 30

250cl

€ 30

盗 H Mango Flavour 250cl € 30

Ä

**Bubble** 

Flavour

250cl

€ 30

Caramel Flavour 250cl



250cl

€ 30

Ä
Cherry Flavour

Strawberry Flavour 250cl





More flavours available on request.

With the purchase of 15 flavours bottles, the upgrade of the flavor version machine is free.











HOLLOW CUBE

HO.RE.CA.



# **VERSATILITY**

A hollow ice cube, with wide surface for fast beverage cooling. With a simple and essential shape, it grants an extreme flexibility of use.

Soft drinks, cocktails, café and / or other preparations that needs a rapid cooling, will identify Coco series hollow ice cube as the perfect ally.

The paddle system is the sole technology suitable to grant the correct machines functioning, also with hard waters full of scale and impurities. Coco series is the most versatile, for any type of installation.

# COCO

## COCO



Modern design with rounded corners and fully stainless-steel body. The paddle system with fingers-evaporator is the sole technology suitable to grant the correct machines functioning, also with hard waters full of scale and impurities.

### LARGE INCORPORATED **STORAGE BIN CAPACITY**

- EXTRACTIBLE FRONTAL AIR **FILTER**
- CAPACITIVE TOUCH CONTROL
   FRONT AIR INTAKE/OUTLET FOR STAND-BY AND RESET
- AUTOMATIC WASHING
- - SUPPLY CABLE WITH SCHUKO PLUG





# COCO

- New hollow ice cube fully electronic icemakers, in accordance with the strictest anti-pollution norms adopting R290 natural gas.
  - STAINLESS STEEL BODY
  - USB ACCESS WITH PARAMETERS MEMORY
  - LIFTED DRAINS AND SIDE
     OUTLETS
- SUPPLY CABLE WITH SHUKO PLUG
- STORAGE BIN AND CONDENSER ELECTRONIC SENSOR

New Coco range, fully electronically controlled, is available also in R 134 gas.

COCO

K 25 Ø

K 25 F

### COCO K 23 NANO Ø K 23 NANO F



Dimensions (LXPXH): 340 x 545 x 620 mm Ice kg/24h: 23 (A) | 23 (W) ∅ 22 (A) | 20 (W) Bin capacity: 5 kg





Dimensions (LXPXH): 340 x 545 x 690 mm Ice kg/24h: 23 (A) | 23 (W) ∅ 22 (A) | 20 (W) Bin capacity: 7 kg



Dimensions (LXPXH): 400 x 545 x 690 mm Ice kg/24h: 25 (A) | 24 (W) ∅ 25 (A) | 23 (W) Bin capacity: 10 kg COCO K 30 Ø K 30 F



Dimensions (LXPXH): 400 x 545 x 690 mm Ice kg/24h: 28 (A) | 27 (W) ∅ 30 (A) | 27 (W) Bin capacity: 10 kg

COCO K 45 Ø K 45 F



Dimensions (LXPXH): 500 x 600 x 693 mm Ice kg/24h: 45 (A) | 46 (W) ∅ 45 (A) | 46 (W) Bin capacity: 16 kg

### COCO K 36 Ø K 36 F



Dimensions (LXPXH): 450 x 545 x 690 mm Ice kg/24h: 36 (A) | 36 (W) ∅ 37 (A) | 35 (W) Bin capacity: 12 kg

### сосо К **50** Ø

K 50 F



Dimensions (LXPXH): 500 x 585 x 960 mm Ice kg/24h: 50 (A) | 50 (W) ∅ 50 (A) | 49 (W) Bin capacity: 21 kg

### COCO K 62 Ø K 62 F



Dimensions (LXPXH): 600 x 585 x 960 mm Ice kg/24h: 62 (A) | 66 (W) ∅ 60 (A) | 61 (W) Bin capacity: 28 kg

### COCO K 80 Ø K 80 F



Dimensions (LXPXH): 700 x 585 x 956 mm Ice kg/24h: 80 (A) | 81 (W) ∅ 80 (A) | 81 (W) Bin capacity: 36 kg COCO K 95 Ø K 95 F



Dimensions (LXPXH): 800 x 585 x 956 mm Ice kg/24h: 96 (A) | 105 (W) ∅ 92 (A) | 90 (W) Bin capacity: 40 kg

### COCO K 150 Ø K 150 F



Dimensions (LXPXH): 920 x 650 x 1280 mm Ice kg/24h: 150 (A) | 151 (W) ∅ 150 (A) | 144 (W) Bin capacity: 67 kg

ICEMATIC

### ACCESSORIES & OPTIONAL SERIES COCO



Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.



For adapting the ideal machine height, in the installation context.



For a safe and deep sanitization of your icemaker. Programmable cycle.



External drain pump kit, compatible with all icemakers of the range.

# Cleaning Kit


Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.



Special external filter to avoid impurities accumulation inside the icemaker.









MODULAR CUBE

HO.RE.CA.

### ICEMAKERS - SERIES MARACUJA





# ICEMAKERS - SERIES MARACUJA

Full and square ice cube, available in three different sizes DICE, HALF-LARGE and LARGE. The perfect solution for quick beverage cooling.

High productivity of Maracuja icemakers with vertical evaporator, matched with Icematic storage bins, is the ideal answer for activities where a huge water consumption is required.

Several applications sectors, these ice cubes are confirmed as the optimal choice in large bars, nightclubs, hotels & resorts, restaurants and fast-food.

### MARACUJA



New range of modular icemakers, full cube, with vertical evaporator, with a linear and innovative design, characterized by a high reliability and an extreme ease of use. Fully stainless-steel structure and very easy to inspect.

This line of icemakers represents the best solution for whatever activity with high

consumption of ice. A uniform and constant flow distributes the water on a chilled surface, specifically designed to achieve a high volume of ice.

- HIGH PRODUCTION CAPACITY AND COMPATIBILITY WITH **ICEMATIC STORAGE BINS**
- STAINLESS STEEL BODY •
- CAPACITIVE TOUCH CONTROL FOR STAND-BY AND RESET
- AUTOMATIC WASHING
- USB ACCESS WITH PARAMETERS MEMORY
- SIDE FILTER WASHABLE AND EXTRACTIBLE



# MARACUJA

Maracuja icemakers adopt the most advanced technology to assure the minimal environmental impact, and also the highest safety standards. The proposed models are ecological, using Propane 100% natural gas (R290).

### Ø

New range of modular Maracuja icemakers, completely electronic, respects the most stringent environmental parameters.

Maracuja-F, completely electronic, is available with R452a gas.

### MARACUJA M 145 Ø M 145 F





Dimensions (LXPXH): 560 x 620 x 575 mm Ice kg/24h: 145 (A) | 145 (W) ∅ 143 (A) | 129 (W) Bin capacity: pages 96-97



Dimensions (LXPXH): 560 x 620 x 660 mm Ice kg/24h: 212 (A) | 205 (W) ∅ 212 (A) | 205 (W) Bin capacity: pages 96-97

### MARACUJA M 205 Ø M 205 F



Dimensions (LXPXH): 760 x 620 x 575 mm Ice kg/24h: 220 (A) | 205 (W) ∅ 240 (A) | 215 (W) Bin capacity: pages 96-97

### MARACUJA M 405 Ø M 405 F



Dimensions (LXPXH): 760 x 620 x 725 mm Ice kg/24h: 400 (A) | 360 (W) ∅ 420 (A) | 367 (W) Bin capacity: pages 96-97 MARACUJA M 305 Ø M 305 F



Dimensions (LXPXH): 760 x 620 x 575 mm Ice kg/24h: 276 (A) | 250 (W) ∅ 300 (A) | 265 (W) Bin capacity: pages 96-97

### MARACUJA M 505 F



Dimensions (LXPXH): 760 x 620 x 725 mm Ice kg/24h: 460 (A) | 430 (W) Bin capacity: pages 96-97

### ACCESSORIES & OPTIONAL

### series MARACUJA



### Technology

Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.




### Ozone Kit

For a safe and deep sanitization of your icemaker, available for the combined bin.



Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.



### Drain-pump Kit


External drain pump kit, compatible with all icemakers of the range.







### FLAKE ICE

HO.RE.CA. FOOD INDUSTRIAL HOSPITAL








Granular ice is an asset in many sectors, thanks to its multiple uses: from food conservation and display, to cocktails preparation, to applications is SPAs, in the world of cosmetics, in medical and hospital environments. This type of very wet ice is particularly appreciated also in the bakery sector.

Granular ice is very easy to handle, stock and weigh. Its peculiarity is the high residual-water contain that, depending on model, may vary from 25% to 15%.

### BERRES-SERIES BERRES

## BERRIES



New range of granular icemakers, with capacity up to 1.000 Kg/day. Granular ice is generated by a vertical cylindrical evaporator, with a screw-conveyor, that scrapes the internal surface of the ice pulling it to the outlet of the machine, where ice-crunching system is located.

This system guarantees even ice quality and a minimal residual water.

The Berries line includes self-contained models and bin-combined versions, to be paired to the vast selection of Icematic bins.













ICEMATIC

# BERRIES

Ø

The new machines of the Berries line are also available in ecological version R290, utilizing propane gas, 100% natural with zero environmental impact: the state-of-the-art technology to safeguard the environment at best.

Berries-F line, completely electronic, is available with R 134a - R452a gas.

- STAINLESS STEEL BODY
- EASY TO INSPECT INTERIORS
- CAPACITIVE TOUCH-KEY FOR STAND-BY AND RESET

#### BERRIES B 95 C Ø B 95 C-F



Dimensions (LXPXH): 500 × 597 × 694 mm Ice kg/24h: 90 (A) | 84 (W) ∅ 88 (A) | 88 (W) Bin capacity: 18 kg

### BERRIES B 130 C Ø B 130 C-F



Dimensions (LXPXH): 500 x 597 x 694 mm Ice kg/24h: 130 (A) | 118 (W) ∅ 112 (A) | 112 (W) Bin capacity: 18 kg

### BERRIES B 160 C Ø B 160 C-F



Dimensions (LXPXH): 700 x 650 x 995 mm Ice kg/24h: 165 (A) | 168 (W) ∅ 152 (A) | 154 (W) Bin capacity: 50 kg

- COMPATIBILITY WITH ICEMATIC STORAGE BINS
- USB PORTAL TO CHECK ALL THE WORKING HISTORY PARAMETERS

### BERRIES B 200 C Ø B 200 C-F



Dimensions (LXPXH): 700 x 620 x 995 mm Ice kg/24h: 210 (A) | 195 (W) ∅ 190 (A) | 190 (W) Bin capacity: 50 kg

### ICEMAKERS - SERIES BERRIES

BERRIES B 125 Ø B 125 F



Dimensions (LXPXH): 570 x 545 x 535 mm Ice kg/24h: 130 (A) | 118 (W) ∅ 112 (A) | 112 (W)

### BERRIES

B 205 Ø B 205 F



Dimensions (LXPXH): 570 x 545 x 535 mm Ice kg/24h: 210 (A) | 195 (W) ∅ 190 (A) | 190 (W)

### BERRIES B 165 Ø B 165 F



Dimensions (LXPXH): 570 x 545 x 535 mm Ice kg/24h: 165 (A) | 177 (W) ∅ 152 (A) | 154 (W)

BERRIES B 305 Ø B 305 F



Dimensions (LXPXH): 538 x 663 x 650 mm Ice kg/24h: 280 (A) | 280 (W) ∅ 300 (A) | 300 (W)

### BERRIES

B 505 Ø B 505 F



Dimensions (LXPXH): 538 x 663 x 790 mm Ice kg/24h: 400 (A) | 400 (W) ∅ 450 (A) | 450 (W)

AVAILABLE ON REQUEST:

SFN1000 A-W SF 500, SFN 1000, SFN 2200 E SFN2200 TROPICAL with remote condenser



### ACCESSORIES & OPTIONAL

### SERIES BERRIES



For a safe and deep sanitization of your icemaker, available for self-contained models or for the combined bins. Programmable cycle.



For adapting the ideal machine height, in the installation context.



### Cleaning Kit

Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.



### Drain-pump Kit

External drain pump kit, compatible with all icemakers of the range.





NUGGETS

HO.RE.CA.





# **COMPACTNESS**

Nuggets-shaped has the characteristics of being both compact and pleasant to chew, being half-way between granular ice and solid ice cubes.

It is the ideal ice for the creation of cocktails where crunched ice is needed as caipirinhas, mojitos or caipiroskas.

Nuggets format ice has a low water contain and may be used in many spaces as: cocktails-bars, disco-clubs, professional catering and restaurants, centralized kitchens and the medical sector as well.

### **ICEMAKERS -** SERIES GRAPE

# GRAPE


The range of icemakers "nugget" type is based on two models, with different production capacities, to be combined with

production capacities, to be combined with a separate bin. The "nugget" type ice is created via a vertical and cylindrical evaporator, equipped with a screw-conveyor, that scrapes the internal surface of the ice pulling it to the outlet of the machine, where an extruder presses the ice into small cylinders. These machines to be paired to the vast selection of Icematic bins.

#### GREAT PRODUCTION • EASY MANAGEMENT OF THE CAPACITY ICE

- STAINLESS STEEL BODYSHELL
   ONLY 8% RESIDUAL WATER IN
- FRONT-FACING AIR INTAKE • AND OUTLET
- ICE
- COMPATIBILITY WITH **ICEMATIC BINS**





ICEMATIC

### FABBRICATORI DI GHIACCIO - SERIE

# GRAPE

The new machines of the Grape line are also available in ecological version R290, utilizing propane gas, 100% natural with zero environmental impact: the state-of-the-art technology to safeguard the environment at best.

Grape-F line, completely electronic, is available with R 134a - R452a gas.

**AVAILABLE FROM MARCH 2024** 



 $\oslash$ 



Dimensions (LXPXH): 500 x 597 x 694 mm Ice kg/24h: 90 (A) | 84 (W) ∅ 88 (A) | 88 (W) Bin capacity: 18 kg





Dimensions (LXPXH): 500 x 597 x 694 mm Ice kg/24h: 130 (A) | 118 (W) ∅ 112 (A) | 112 (W) Bin capacity: 18 kg





Dimensions (LXPXH): 700 x 650 x 995 mm Ice kg/24h: 165 (A) | 168 (W) ∅ 152 (A) | 154 (W) Bin capacity: 50 kg Dimensions (LXPXH): 700 x 650 x 995 mm Ice kg/24h: 210 (A) | 195 (W) ∅ 190 (A) | 190 (W) Bin capacity: 50 kg





FABBRICATORI DI GHIACCIO - SERIE



### GRAPE G 205 Ø G 205 F



Dimensions (LXPXH): 570 x 545 x 535 mm Ice kg/24h: 210 (A) | 195 (W) ∅ 190 (A) | 190 (W)

GRAPE G 125 Ø G 125 F



**AVAILABLE SOON** 



Dimensions (LXPXH): 570 x 545 x 535 mm Ice kg/24h: 130 (A) | 118 (W) ∅ 112 (A) | 112 (W)





Dimensions (LXPXH): 570 x 545 x 535 mm Ice kg/24h: 165 (A) | 177 (W) ∅ 152 (A) | 154 (W) GRAPE G 505 Ø G 505 F



Dimensions (LXPXH): 668 x 668 x 709 mm Ice kg/24h: 470 (A) | 429 (W) ∅ 450 (A) | 450 (W)

Icemakers





Dimensions (LXPXH): 570 x 545 x 535 mm Ice kg/24h: 272 (A) | 240 (W) ∅ 300 (A) | 300 (W)

F

Grape range is available only in R452a gas.

### GRAPE G 270 F



**Dimensions (LXPXH)**: 540 x 665 x 645 mm Ice kg/24h: 320 (A) | 305 (W) Bin capacity: pages 96-97

### GRAPE G 470 F




Dimensions (LXPXH): 540 x 665 x 795 mm Ice kg/24h: 570 (A) | 640 (W) **Bin capacity**: pages 96-97

ACCESSORIES & OPTIONAL SERIES GRAPE



For a safe and deep sanitization of your icemaker, available for the combined bin.

ICEMATIC



### SERIES ALMOND



### SCALE ICE


HO.RE.CA. INDUSTRIAL


FOOD



# ALMOND









# SOLIDITY

With an average temperature of -7°C and a thickness between 0,9 and 1,2 mm, the ice made by the Almond line machines is the coldest and driest available, unique in its kind. Solid and dry, ice-flakes have a great surface of contact, for a fast cooling.

The Almond line ice-machines have a variety of applications as supermarkets, restaurants and catering, butcheries, fish industry and markets, sea-ports, as well as the pharmaceutical sector and much more.

The flat-flakes ice, dry and overchilled, has a candid white colour and it is ideal for elongating the freshness of any product.

Icemakers

72

ICEMATIC

Icemakers

73

# ALMOND

#### **ICEMAKERS -** SERIES

# ALMOND

The new range of flat flakes ice-machines is characterized by a remarkable low presence of humidity (approx. 2%), thus granting an absolute freshness. The Almond line production system includes a cylindrical and vertical stainless-steel evaporator, and a free-rotating blade scratching the ice generated, originating the flakes. The Almond line makers may be combined with the lcematic range of bins

#### STAINLESS STEEL BODYSHELL CONDENSING UNIT ON BOARD

- CYLINDRICAL AND VERTICAL
   FIX EVAPORATOR
- INTEGRATED ON/OFF CONTROL
- EASY ACCESS TO INTERIOR
   FOR EASY CLEANING



ICEMAKERS - SERIES

# ALMOND

Almond-F line is available only with R452a gas.



**Dimensions (LXPXH)**: 1015 x 590 x 815 mm **Ice kg/24h:** 250 (A) **Dimensions (LXPXH)**: 1015 x 590 x 815 mm **Ice kg/24h:** 409 (A) Dimensions (LXPXH): 1110 x 640 x 850 mm Ice kg/24h: 630 (A) Dimensions (LXPXH): 1110 x 640 x 890 mm Ice kg/24h: 988 (A) **Dimensions (LXPXH)**: 1380 x 740 x 970 mm **Ice kg/24h:** 1600 (A)




## ALMOND A 1500 F

# ACCESSORIES E OPTIONALS

SERIES ALMOND



Storage bin capacity level sensor



SERIES TROPICAL



DISPENSER





# TROPICAL

Practical, compact and efficient. The Icematic ice-dispensers are available in different models:

- Floor dispenser DX35, with full-ice cube, gourmet type

- Table dispenser TD with nuggets type ice (new range)

Those dispensers are the optimal solution for canteens, self-services, hotels and pubs where it is necessary to have perfectly dosed ice, and quickly.

# TROPICAL

CONVIVIALITY

# DISPENSER TROPICAL DX35

Practical and compact, it is the ideal solution for places where customers can get autonomously their own ice (canteens, self-services, hotels).

## TROPICAL

DX 35

**Dimensions (LXPXH)**: 380 x 515 x 1700 mm Production - kg/24h: 29 (A) - 30 (W) Bin capacity: 11 kg



### **AVAILABLE FROM MARCH 2024**

## DISPENSER TROPICAL TD120.10 NEW!

The new table top dispenser TD 120.10 A with nugget type ice is ideal for catering, and it is an excellent solution for the world of hospitality. Models available in R290.

Dimensioni (LXPXH): 467 x 600 x 1000 mm Produzione - kg/24h: 120 Capacità deposito: 10,5 kg

### **AVAILABLE FROM MARCH 2024**

DISPENSER TROPICAL TD200.10 NEW


The new table top dispenser TD 200.10 A with nugget type ice is ideal for catering, and it is an excellent solution for the world of hospitality. Models available in R290.

**Dimensions (LXPXH)**: 467 x 600 x 1000 mm Production - kg/24h: 190 Bin capacity: 10,5 kg


TD130 OLD MODEL AVAILABLE ON REQUEST

















# SAFETY

The Icematic bins are entirely designed internally to match whatever users' need.

The high quality of materials and the construction technology constitute the ideal solution for whoever may need to preserve significant amount of ice, long term.

Stainless steel and deep-formed food-quality plastic, processed with silver-salts antibacterial treatment, combined with the possibility to install the Ozone sanitization system, render those bins extremely food-safe and easy to clean.

# STORAGE BINS MANGO

# ANGO

Robust and elegant, the MG series bins are made in fully insulated steel, with shock-resistant hatch and incorporated showel.

MANGO MG 105









MANGO

MG 155

**Dimensions (LXPXH)**: 570 x 850 x 1050 mm Bin capacity (kg): 129 granular / 101 cube

**Dimensions (LXPXH)**: 770 x 850 x 880 mm Bin capacity (kg): 123 granular / 96 cube **Dimensions (LXPXH)**: 570 x 880 x 1270 mm Bin capacity (kg): 168 granular / 132 cube

**Dimensions (LXPXH)**:

1235 x 873 x 1270 mm Bin capacity (kg): 406 granular / 319 cube MANGO MG 255



MANGO

MG 205



**Dimensions (LXPXH)**: 770 x 850 x 1050 mm Bin capacity (kg): 181 granular / 141 cube

**Dimensions (LXPXH)**: 770 x 880 x 1270 mm Bin capacity (kg): 243 granular / 191 cube

MANGO MG 405



90

91

## MANGO MG 305

**Dimensions (LXPXH)**: 1081 x 824 x 968 mm Bin capacity (kg): 252 granular / 197 cube

## MANGO MG 505



**Dimensions (LXPXH)**: 1335 x 880 x 1270 mm Bin capacity (kg): 478 granular / 375 cube

# MANGO MB

The MB series bins have a robust steel structure, are suitable for heavy loads and flaunt a spring-loaded hatch, with a Teflon paddle provided.

MANGO **MB 500** 



**Dimensions (LXPXH)**: 1220 x 1125 x 1430 mm **Bin capacity (kg)**: 553 granular / 434 cube MANGO **MB 700** 



**Dimensions (LXPXH)**: 1525 x 1125 x 1735 mm **Bin capacity (kg)**: 812 granular / 637 cube

MANGO MB 1000



**Dimensions (LXPXH)**: 1830 x 1470 x 1290 mm **Bin capacity (kg)**: 1063 granular / 838 cube

# MANGO MC

The MC series bins are externally made in steel and internally in food-quality polyethylene. Equipped with trolley and Teflon paddle, they dose the ice from the outlet drawer.

## MANGO MC 140



**Dimensions (LXPXH)**: 885 x 1025 x 1343 mm **Bin capacity (kg)**: 137-210 granular / 107-164 cube MANGO MC 320



**Dimensions (LXPXH):** 885 x 1270 x 1805 mm **Bin capacity (kg)**: 318-391 granular / 249-306 cube

### MANGO MC 620



**Dimensions (LXPXH)**: 1755 x 1270 x 1805 mm **Bin capacity (kg)**: 613-759 granular / 481-595 cube

### CROSS-TABLE ICEMAKER / STORAGE BIN

	STOGAGE BINS	MG 105	MG 125	MG 155	MG 205	MG 255	MG 305	MG 405	MG 505	MB 500	мв 700	MB 1000	MC 140	MC 320	MC 620
MODELS	Kg /24 h	129	123	168	181	243	252	406	478	553	812	1068	210	391	759
M 145	145 (A)   133 (W) Ø 143 (A)   129 (W)		KM205-255		KM 205-255	KM 205-255									
M 195	212 (A)   205 (W) Ø 212 (A)   205 (W)		KM205-255		KM 205-255	KM 205-255									
M 205	220 (A)   210 (W) Ø 240 (A)   215 (W)		КМ305				КМ 305	KBM 405	KBM 505						
M 305	300 (A)   270 (W) Ø 300 (A)   265 (W)		КМ305				KM 305	KBM 405	KBM 505						
M 405	400 (A) Ø 430 (A)   352 (W)		КМ305				KM 305	KBM 405	KBM 505						
M 505	460 (A)   415 (W)		КМ305				KM 305	KBM 405	KBM 505						
B 125 / G 125	130 (A)   120 (W) Ø 112 (A)   112 (W)	*KBD 105-155	KB 205-255	*KBD 105-155	KB 205-255	KB 205-255	KB 305	KBM 405	KBM 505						
B 165 / G 165	165 (A)   168 (W) Ø 152 (A)   154 (W)	*KBD 105-155	KB 205-255	*KBD 105-155	KB 205-255	KB 205-255	KB 305	KBM 405	KBM 505						
B 205 / G 205	210 (A)   195 (W) Ø 190 (A)   190 (W)	*KBD 105-155	KB 205-255	*KBD 105-155	KB 205-255	KB 205-255	KB 305	KBM 405	KBM 505	-					
B 305 / G 305	280 (A)   280 (W) Ø 300 (A)   300 (W)		KB 205-255		KB 205-255	KB 205-255	KB 305	KBM 405	KBM 505						
B 505 / G 505	400 (A)   400 (W) Ø 450 (A)   450 (W)							KBM 405	KBM 505						
G 270	320 (A)   305 (W)	KGC 105-155		KGC 105-155	KGC 205-255	KGC 205-255	KF 305	KBM 405	KBM 505						
G 470	570 (A)   640 (W)				KGC 205-255	KGC 205-255	KF 305	KBM 405	KBM 505						
A 250	250 (A)							KA 405	KA 505						
A 400	409 (A)							KA 405	KA 505						
A 600	630 (A)							KA 405	KA 505						
A 950	988 (A)							KA 405	KA 505						
A 1500	1600 (A)														

Frame name

Subject to management and coordination by Ali Group Holding S.r.l.- C.F. 10123720962

Icematic, Castel MAC Srl Via del lavoro, 9 31033 Castelfranco Veneto (TV) Italy Tel. +39 0423 738452 E-mail: icematic@castelmac.it **icematic.eu** 



an Ali Group Company

