


Granular ice

Flake

25% water content

Super flake

15% water content





Free call: 1800 222 460 Email: info@scotsice.com.au Website: www.scotsice.com.au

F series



Ice flakers machines range including both self-contained and separate storage bins models, up to 2.500 kg daily production.

Flakes ice are generated by a vertical cylindrical evaporator, equipped with an internal turning auger that scours the ice on the evaporator surface and lifts it up to an ice breaker.

This system provides an even ice production with minimal water quantity.

F series modular machines can be combined with the wide choice of Icematic storage bins.

Ice flakes have plenty of applications, from fish conservation and display to cocktails creation or, for instance, in spa centres. It is broadly used in the medical sector, and it is highly appreciated in the bakery industry.

The main advantages of this kind of ice are the ease of handling, storage and dosing. Its water contain may vary from approximatively 15% to 25%.



Ozone Kit (Optional) available on new self-contained models.

For a safe and deep sanitization of your icemaker.

Cocktails bar / Hotel Medical / Bar / Supermarket Fish Industry
Disco Wellness Restaurant processes

Free call: 1800 222 460 Email: info@scotsice.com.au Website: www.scotsice.com.au

5

F 90 C



Dimensions - mm $500 \times 597 \times 694$

Production - kg/24h 94 (A) - 94 (W)

Bin capacity - kg

Standard voltage 220-240 V / 1 N / 50 Hz

> **Ice** Flake

F 120 C



Dimensions - mm $500 \times 597 \times 694$

Production - kg/24h 120 (A) - 120 (W)

Bin capacity - kg

Standard voltage 220-240 V / 1 N / 50 Hz

> **Ice** Flake

🔾 F 160 C



Dimensions - mm $700 \times 616 \times 995$

Production - kg/24h 160 (A) - 164 (W)

Bin capacity - kg 50

Standard voltage 220-240 V / 1 N / 50 Hz

> **Ice** Flake

O F 200 C



Dimensions - mm $700 \times 616 \times 995$

Production - kg/24h 200 (A) - 200 (W)

Bin capacity - kg 50

Standard voltage 220-240 V / 1 N / 50 Hz

> **Ice** Flake

F 120



Dimensions - mm 564 x 536 x 531

Production - kg/24h 120 (A) - 120 (W)

Bin compatibility pages 44-45

Standard voltage 220-240 V / 1 N / 50 Hz

> **Ice** Flake

F 200



Dimensions - mm 564 x 536 x 531

Production - kg/24h 200 (A) - 200 (W)

Bin compatibility pages 44-45

Standard voltage 220-240 V / 1 N / 50 Hz

> **Ice** Flake

SF 300



Dimensions - mm 538 x 663 x 650

Production - kg/24h 320 (A) - 330 (W)

Bin compatibility pages 44-45

Standard voltage 220-240 V / 1 N / 50 Hz

IceSuper Flake

SF 500



Dimensions - mm $538 \times 663 \times 790$

Production - kg/24h 600 (A) - 600 (W)

Bin compatibility pages 44-45

Standard voltage 220-240 V / 1 N / 50 Hz

> **Ice** Super Flake

SFN 1000



Dimensions - mm $1065 \times 698 \times 850$

Production - kg/24h 1150 (A) - 1220 (W)

Bin compatibility pages 44-45

Standard voltage 400 V / 3 N / 50 Hz

> **Ice** Super Flake

SFN 2200 Tropical




Dimensions - mm $1080 \times 780 \times 1255$

Production - kg/24h 2500 (A) - 2500 (W)

Bin compatibility pages 44-45

Standard voltage 400 V / 3 N / 50 Hz

IceSuper Flake





Free Call: 1800 222 460 (*Nation wide*)
Phone: (02) 9684 5666
Email: info@scotsice.com.au



SALES

National Accounts
Phone: 0477 071 716



New South Wales Sales

Phone: 0411 089 140 Email: nsw.sales@scotsice.com.au



Phone: 0414 817 619 Email: qldsales@scotsice.com.au

Victoria Sales

Phone: 0415 735 273 Email: vicsales@scotsice.com.au



SERVICE & SPARE PARTS

Free Call: 1800 222 460 (*Nation wide*)
Phone: (02) 9684 5666
Email: service@scotsice.com.au



SCOTS ICE AUSTRALIA

foodservice equipment

ABN: 54 080 084 260

Unit 5 / 175-179 James Ruse Drive Rosehill NSW 2142 www.scotsice.com.au

an Australian Ali Group Partner



The Spirit of Excellence



