

ELECTRIC CONVECTION OVEN BASE

CODE

CR1354119

MODEL

78EVO

GENERAL FEATURES

Standard top and freestanding modules available 40 cm - 60 cm - 80 cm - 120 cm.

Complete and totally configurable range. The top modules can be positioned freely on the bases to create the composition that is most suitable for every need.

The GN1/1 gas and electric oven bases complete the options that Proxe makes available to chefs.

Quick and rapid side-by-side installation of the equipment, with the possibility of positioning a covering over the joints.

Tops, shelves and control panels in AISI304 stainless steel.

Moulded surfaces guarantee robustness, reliability and hygiene.

Machines for flat-top installation supplied as standard with h8 cm feet, in compliance with regulations.

Installation on a suitable compartment with rear technical compartment, for the passage of the gas/electrical/water connections.



TECHNICAL DETAILS

ELECTRIC CONVECTION OVEN BASE

Oven equipped with safety thermostat with temperature adjustment from 110 ° C to 280 ° C.

Ventilated heating with resistances placed on the bottom and top of the cooking chamber and heat distribution fan on the back.

GN1 / 1 oven capacity.

Dimensions of the cooking chamber 57x53x29.5h cm.

Base equipped with adjustable feet with nominal height of 15 cm (-2 cm / +6 cm).

ELECTRIC CONVECTION OVEN BASE

CODE
CR1354119

MODEL
78EVO

TECHNICAL INFORMATION

SPECIFICATIONS	DATA
CODE	CR1354119
DEFINITION	78EVO BASE FORNO ELETTRICO VENTILATO M80
SUPPLY	ELETTRICA
DEPTH	800 MM
WIDTH	645 MM
HEIGHT	620 MM
NET WEIGHT	32,500
VOLUME	0,320 M3
PACKAGING LENGTH	850,000
PACKAGING WIDTH	850,000
PACKAGING HEIGHT	850,000
PACKAGING VOLUME	0,614
PACKAGING GROSS WEIGHT	35,000
POWER SUPPLY VOLTAGE STANDARD	380-415V 3N
POWER SUPPLY VOLTAGE (OPTIONAL1)	220-240V 3
FREQUENCY	50-60 Hz
ELECTRIC POWER	4,200 KW
IPX PROTECTION	IPX4
CERTIFIED MODEL	78EVO
CERTIFICATION NUMBER	-

ELECTRIC CONVECTION OVEN BASE

CODE

CR1354119

MODEL

78EVO

ACCESSOIRES

CODE	MODEL	DESCRIPTION
CR1355129	PGBF	CHROMED GRID FOR OVEN
CR1355139	PTBF	TRAY FOR OVEN IN AISI304 STAINLESS STEEL

ELECTRIC CONVECTION OVEN BASE

CODE
CR1354119

MODEL
78EVO

PROXY70
PROFESSIONAL FOR YOU

PRODUCT'S
PLUS

ELECTRIC CONVECTION OVEN BASE

CODE




CR1354119

MODEL

78EVO

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm

78 EVO / 78 ESO



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás
S	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	H20	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
S1	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	A1 =	Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno
S2	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukkelep - Válvula de depressão	A2 =	Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
S3	Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	L	Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível
S4	Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno		