

STOCKPOT GAS COOKER, 1 BURNER H 500

Project:
Rev.:
Zone:
Location:



CODE	MODEL	SERIE
CR0998669	FOGV505	SERIE 600

GENERAL FEATURES

A line of compact cooking appliances, designed for people who do not want to give up on high performance, even in small spaces. Made of AISI 304 18/10 stainless steel, elegantly finished with Scotch Brite satin finish, it has rounded edges and capacious recessed areas; it is 600/650 mm deep and has a modular width of 400/600/700/800/1000 mm; the series comes complete with open base supports, with cupboards or refrigerated bases. The appliances can be easily put together to build a unit, that is compact, without any gaps thanks to a covering profile that guarantees protection against leaks and therefore excellent hygiene. High flues, ergonomic knobs mounted on a sloped control panel for better visibility, make this range easy to use from the very first time. All models are CE-approved.

TECHNICAL DETAILS

STOCKPOT GAS COOKER, 1 BURNER H 500

Structure in AISI304 steel throughout.

Single-piece top in AISI304 steel, thickness 15/10.

High-performance burner in nickel-plated cast iron, power 12.5 kW.

Acid-resistant black enamelled cast iron grilles.

Thermocouple safety valves with pilot flame.

Pilot flame protected to avoid accidental extinguishing.

Boxed support legs to ensure the stability of the structure.

Use of pans with minimum diameter 340 mm and maximum 600 mm.

STOCKPOT GAS COOKER, 1 BURNER H 500

CODE	MODEL	SERIE
CR0998669	FOGV505	SERIE 600

TECHNICAL INFORMATION

SPECIFICATIONS	DATA
CODE	CR0998669
DEFINITION	FOGV 505 12,5Kw FORNELL. 1F H=500
MODEL	FOGV 505
SUPPLY	GAS
WIDTH	590 MM
DEPTH	630 MM
HEIGHT	500 MM
VOLUME	0,186 M3
PACKAGING LENGTH	690,000
PACKAGING WIDTH	710,000
PACKAGING HEIGHT	570,000
PACKAGING VOLUME	0,289
PACKAGING GROSS WEIGHT	29,000
GAS POWER (G30/30 MBAR)	12,50 KW
GAS POWER (G25/25 MBAR)	11,50 KW
CERTIFIED MODEL	FOGV 50
CERTIFICATION NUMBER	CE-0085CU0121
CERTIFICATION BODY	0085

STOCKPOT GAS COOKER, 1 BURNER H 500

CODE	MODEL	SERIE
CR0998669	FOGV505	SERIE 600

ACCESSORIESES

CODE	MODEL	DESCRIPTION
2520821	31SG	STAND FOR STOCKPOT BURNERS L=45
2520822	32SG	STAND FOR STOCKPOT BURNERS L=90

STOCKPOT GAS COOKER, 1 BURNER H 500


CODE
CR0998669

MODEL
FOGV505

SERIE
SERIE 600

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm

FOGV 50..



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)
S Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	H20 Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de água - Wateraansluiting - Junção alimentação água
S1 Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	A1 = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno A2 = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
S2 Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	
S3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	
S4 Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	L Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nível - Niveaakraan - Torneira de nível