

CODICE
BN204B02PO35

MODELLO
HPXS 40 BT

REFRIGERATED CABINETS

TECHNICAL SPECIFICATIONS


simple, solid, practical and reliable
Designed for intensive use in the kitchen.
Stainless steel inside and outside
75 mm side insulation with CFC-free polyurethane
Openable dashboard for easier periodic maintenance
(condenser cleaning)
Cell interior with bevelled corners for easy cleaning
150 mm steel feet with adjustable height
Automatic defrosting with dissipation of condensed water
with hot gas
Self-locking hinged doors
Standard supplied lock
For positioning on plinth
External single-block buffer unit with forced top down
ventilation
USB port for transferring recipes and HACCP records.
Up to 100 customisable recipes
Internal set-up: 3 plastic grids 420X430



D

ENERGY CLASS

SERIE HANDY



CODICE
BN204B02PO35

MODELLO
HPXS 40 BT

REFRIGERATED CABINETS

Technical Information

SPECIFICATION	DATA
MATERIAL	BN204B02PO35
DIM. WIDTH	600 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	1930 mm
GAS/REFRIGERANT TYPE	R290
ENERGY CLASS	D
CLIMA CLASS	5
CELL SIZE	450X480X1480
Capacity	320 l.
TEMPERATURE RANGE	-25 / -15°C


CODICE

BN204B02PO35

MODELLO

HPXS 40 BT

REFRIGERATED CABINETS




CODICE
BN204B02PO35

MODELLO
HPXS 40 BT

REFRIGERATED CABINETS

Product's PLUS



CODICE
BN204B02PO35

MODELLO
HPXS 40 BT

REFRIGERATED CABINETS

OPTIONAL

	MODELLO	DESCRIZIONE
	KIT-IOT 4.0	CONNECTIVITY 4.0 SUPREME SUPPLEMENT KIT

CODICE
BN204B02PO35

MODELLO
HPXS 40 BT

REFRIGERATED CABINETS

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
2191625	HANDY EXTRA SLIM CG	AISI 304 18/20 GUIDE PAIR
1440040430	HANDY EXTRA SLIM GR PLAST	PLASTIC COATED GRID 420X430MM
219914	RT	WHEEL KIT DIAM. 100, H127MM