

**Code** CR0993019 **Model** N1100FR/E450

## 1-BASIN ELECTRIC DEEP FAT FRYER 15 LTS.

### GIANO SERIES

1100 Pass-Through Line is characterized by its versatility, its perfect modules matching and their sturdiness, thanks to the 2 mm thick cooking tops in s/s AISI 304 cut with laser. All these features allow to assemble central cooking blocks on specific customers' request. Reliability and high efficiency are granted by tested components and high performances of heating elements. Stands can be equipped with pass-through ovens, heated, ventilated, neutral, either suspended or cantilever cupboards. Appliances in compliance with CE standards.



### Technical/functional characteristics

Outer casing and feet in stainless steel.

Adjustable worktop height, ranging from 840 to 900 mm.

AISI 18/10 stainless steel pan, with cool zone and foam area.

Oil discharge tap.

Oil drip pan available upon request.

Safety thermostat (230°C) to prevent oil overheating.

Electric model: AISI 304 stainless steel armoured heaters positioned in the bowl for heating operations; can be rotated more than 90°.

#### Technical Data


DIMENSIONS	
Width (mm)	450
Depth (mm)	1.100
Height (mm)	860
Gas connection (Ø)	
Electric connection (V/~/HZ)	400V/3N 50-60 HZ
Cold water connection (Ø)	
Hot water connection (Ø)	

Cold soft water connection (Ø)	
Drain (Ø)	
Gas power (mm)	
Electric power (mm)	12
Plate dimensions (mm)	
Tank capacity (Lt)	15Lt.
TANK DIMENSIONS	240x420x315h
Internal ovens dimension(mm)	

## Installation layout

### SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESHEMA - IINSTALLATIONSRIJNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm- MESURES EN mm  
MEDIDAS EN mm - MATEN IN mm - DIMENSIONES EN mm



#### Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

<b>E</b>	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	<b>G</b>	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligaçao gás
<b>S</b>	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	<b>H20</b>	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de água - Wateraansluiting - Junção alimentação água
<b>S1</b>	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	<b>A1</b>	Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno
<b>S2</b>	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	<b>A2</b>	Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
<b>S3</b>	Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	<b>L</b>	Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Tomeira de nível