# **SERIE GIANO**



 Code
 CR1010439
 Model
 N1100PCV/IND900

#### 4 ZONE INDUCTION RANGE PASS THROUGH - ON OPEN CUPBOARD

#### **General Feautures**

1100 Pass-Through Line is characterized by its versatility, its perfect modules matching and their sturdiness, thanks to the 2 mm thick cooking tops in s/s AISI 304 cut with laser. All these features alllow to assemble central cooking blocks on specific customers' request. Reliability and high effi ciency are granted by tested components and high performances of heating elements. Stands can be equipped with pass-through ovens, heated, ventilated, neutral, either suspended or cantilever cupboards. Appliances in compliances with CE standards.



#### **INDUCTION RANGE**

### Technical/functional characteristics

- Outer casing in s/s 18/10 and Schotch Brite finishing.
- Top with thickness 2mm.
- Shaped cooker control panel with knobs slanted towards the operator.
- Waterproof and shatterproof ceramic glass hob.
- Cooking zones marked with a 28 cm diameter circular serigraph print.
- 5 kW single zone power.

Hot water connection (Ø)

- Presence detector device and overheat device.
- Heat mode activity indicator light.

	<u>100</u>
DIMENSIONS	
Width (mm)	900
Depth (mm)	1.100
Height (mm)	860
Gas connection (Ø)	
Electric connection (V/~/HZ)	400
Cold water connection (Ø)	

<u>Technical Data</u>				
	Cold soft water connection (Ø)			
	Drain (Ø)			
	Gas power (mm)			
	Electric power (mm)	20		
	Plate dimensions (mm)			
	Tank capacity (Lt)			
	TANK DIMENSIONS			
	Internal ovens dimension(mm)			

# **SERIE GIANO**



#### **Installation layout**

G GAS CONNECTION

E ELECTRIC CONNECTION

CW COLD WATER CONNECTION

HW HOT WATER CONNECTION

SW SOFT COLD WATER CONNECTION

D DRAIN

## **ACCESSORIES**

Code	Description
BN2593590	FRONTAL HAND-RAIL
_CR1011739	KIT OF DRAWERS FOR NEUTRAL BASE 900
CR1011759	FRONT KICK PLATE - L=900
_NZL110	SIDE KICK PLATE
TV104	PAINT TRATMENT FOR 8 DRAWERS
_TV105	PAINT TRATMENT FOR DOOR
TV101	PAINT TRATMENT FOR LATERAL PANEL
_BN418032900010	SERIE GIANO DOOR