Tilting jacketed kettle indirect gas heating



POTAGES
PUDDING
PASTA AND RICE
SAUCES
MASHED POTATOES
BECHAMEL SAUCE
PUREE
JELLY

TILTING KETTLES FOR LARGE CATERING AND RESTAURANTS

EASYBRATT is a tilting braising pan designed to meet the daily needs of small and medium-sized restaurants, the catering industry and centralised cooking facilities (canteens, community centres, schools, hospitals, etc.). Composed of 38 models with different capacities, this machine for catering is available in gas or electric heating from 50 to 200 litres. The tilting is manually-operated, but can be motorised on request.

ANY TYPE OF COOKING IN PERFECT HARMONY, A NEW BENCHMARK THANKS TO BASKETT

Heating is gentle, indirect, thereby allowing you to prepare more delicate dishes and they do not need constant monitoring. An asset in the kitchen that lets you utilise your experience to satisfy high volumes. Efficient, compact and versatile.


Heating type	indirect gas	
Capacity (L)	130	
Surface (dmq)	-	
Gas connection (Ø)	3/4"	
Electric connection (V/~/Hz)	1N+PE AC 230V 50/60 Hz	


Width (mm)	1355	
Depth (mm)	1250	
Height (mm)	1285	
Gas power (Mj/hr) 108		
Electric power (kW)	0.4	

boiling | braising | pasteurising | tilting | mixing | cooling | frying | underpressure | vacuum cooking | cutting | washing | drying









G	Attacco Gas (secondo ISO 7-1)	Gasanschuluss (ISO 7-1)	3/4"	
	Gas Connection (ISO 7-1)	Raccordement Gaz (ISO 7-1)		
E	Potenza assorbita	Elektrische Leistung	.40 (kW)	
	Electric power	Puissance électrique		
E	Collegamento Elettrico	Elektrische Verbindung	000 0407/41 5011-	
	Electric connection	Connexion électrique	220-240V 1N ~ 50Hz	
Α	Allacciamento Acqua Calda	Warmwasseranschluss	3/4"	
	Hot water inlet	Raccordement eau chaude		
В	Allacciamento Acqua Fredda	Katlwasseranschluss	2/411	
	Cold water inlet	Raccordement eau froide	3/4"	

boiling | braising | pasteurising | tilting | mixing | cooling | frying | underpressure | vacuum cooking | cutting | washing | drying



