

 **220 kg/ 24h**


Modular Ice Maker / Modular Ice Maker:
M145 - M195 - M205 - M305 - M405

M205 ALLGAS
220-240V/1/50Hz
Modular Ice Maker



FEATURES

- Steel shell
- Air and water condensation
- Washing cycle
- Capacitive control key
- Audible and light signaling alarms
- HACCP Alarm Report
- External cube weight adjustment
- USB connection for sw update and HACCP data download
- Condenser fan controlled at low ambient temperatures
- Programmable ice production
- Predictive failure analysis
- Equipment performance report
- Removable and cleanable air filters



ICE TYPE

	PCS / CYCLE PZ / CICLO	WEIGHT ICE PESO GHIACCIO
 Half.Large- 205-305 10 x 29 x 24 mm	370	6 g
 Full Dice- 205-305 22 x 22 x 24 mm	234	10 g
 Full Large- 205-305 29 x 29 x 24 mm	140	17 g

OPTIONAL

- Ozone sanitization
- Nanotechnological evaporator treatment with Rainbow Technology

RECOMMENDED DEPOSITS

MG205-MG255-MG305(KM305)
MG405(KFM404)
MG505(KFM505)

DIMENSIONS

	L x P x H (mm)
	760 x 620 x 575
	830 x 690 x 740

VOLTAGE

	220-240V/1/50Hz
---	-----------------

GAS

	R290 GWP 3
---	---------------

TECHNICAL DATA

										
			cond	comp. W	ABS. W	Fuse	Kwh/100Kg	I / h	Kg	Kg
M205	A AG	220-240V/50/1		1661	1100	16	12.7	10	70	85
M205	W AG	220-240V/50/1		1661	840	16	10.5	78.2	70	85

ICE PRODUCTION

kg/24h
lbs/24h

Air cooling



Temp. Aria Air Temp.	Temp. Acqua /Water Temp.			
°C / °F	10° 50°	15° 59°	21° 70°	32° 90°
10° 50°	220 485	214 472	200 441	172 379
21° 70°	205 452	200 441	186 410	163 359
32° 90°	165 364	160 353	155 342	136 300
38° 100°	141 311	138 304	134 295	121 267

Water cooling



Temp. Aria Air Temp.	Temp. Acqua /Water Temp.			
°C / °F	10° 50°	15° 59°	21° 70°	32° 90°
10° 50°	205 452	202 445	193 425	173 381
21° 70°	190 419	184 406	176 388	157 346
32° 90°	184 406	178 392	170 375	152 335
38° 100°	176 388	169 372	159 350	140 309

220 kg/ 24h


Modular Ice Maker / Modular Ice Maker:
M145 - M195 - M205 - M305 - M405

M205 ALLGAS

220-240V/1/50Hz


Modular Ice Maker

DIMENSIONS




MyICE

Allows control and monitoring of ice makers directly from smartphones / Allows control and monitoring of ice makers directly from smartphones



TOUCH CONTROL



Operating conditions

	Min	Max
Temp. Ambient	10°C	40°C
Temp. Water Ice	5°	35°
Water Pressure	1 Bar (14psi)	10 Bar (140psi)
Conductivity water	20 microS	500 microS
Power Supply	-10%	+10%

Capacitive Stand-by / Start button
(LED continuously changing colors from white to red)

Heat expelled	2560 W
Air Volume	590 m³/h

220 kg/ 24h

Modular Ice Maker / Modular Ice Maker:
M145 - M195 - M205 - M305 - M405

M205 ALLGAS
220-240V/1/50Hz
Modular Ice Maker



FEATURES

- Steel shell
- Air and water condensation
- Washing cycle
- Capacitive control key
- Audible and light signaling alarms
- HACCP Alarm Report
- External cube weight adjustment
- USB connection for sw update and HACCP data download
- Condenser fan controlled at low ambient temperatures
- Programmable ice production
- Predictive failure analysis
- Equipment performance report
- Removable and cleanable air filters



ICE TYPE

	PCS / CYCLE PZ / CICLO	WEIGHT ICE PESO GHIACCIO
Half.Large- 205-305 10 x 29 x 24 mm	370	6 g
Full Dice- 205-305 22 x 22 x 24 mm	234	10 g
Full Large- 205-305 29 x 29 x 24 mm	140	17 g

OPTIONAL

- Ozone sanitization
- Nanotechnological evaporator treatment with Rainbow Technology

RECOMMENDED DEPOSITS

MG205-MG255-MG305(KM305)
MG405(KFM404)
MG505(KFM505)

DIMENSIONS

	L x P x H (mm)
	760 x 620 x 575
	830 x 690 x 740

VOLTAGE

	220-240V/1/50Hz
--	-----------------

GAS

	R452A GWP 2141
--	-------------------

ICE PRODUCTION

kg/24h
lbs/24h

Air cooling



Temp. Aria Air Temp.	Temp. Acqua /Water Temp.			
°C / °F	10° 50°	15° 59°	21° 70°	32° 90°
10° 50°	220 485	214 472	200 441	172 379
21° 70°	205 452	200 441	186 410	163 359
32° 90°	165 364	160 353	155 342	136 300
38° 100°	141 311	138 304	134 295	121 267

Water cooling



Temp. Aria Air Temp.	Temp. Acqua /Water Temp.			
°C / °F	10° 50°	15° 59°	21° 70°	32° 90°
10° 50°	205 452	202 445	193 425	173 381
21° 70°	190 419	184 406	176 388	157 346
32° 90°	184 406	178 392	170 375	152 335
38° 100°	176 388	169 372	159 350	140 309

TECHNICAL DATA

		 ^{+C} _{-C}		 W		 W	 21°C 23°C +		
		cond	comp. W	ABS. W	Fuse	Kwh/100Kg	l / h	Kg	Kg
M205 A AG 220-240V/50/1			2943	1100	16	13.6	10	70	85

220 kg/ 24h


Modular Ice Maker / Modular Ice Maker:
M145 - M195 - M205 - M305 - M405

M205 ALLGAS

220-240V/1/50Hz


Modular Ice Maker

DIMENSIONS



MyICE


Allows control and monitoring of ice makers directly from smartphones / Allows control and monitoring of ice makers directly from smartphones



Operating conditions

	Min	Max
Temp. Ambient	10°C	40°C
Temp. Water Ice	5°	35°
Water Pressure	1 Bar (14psi)	10 Bar (140psi)
Conductivity water	20 microS	500 microS
Power Supply	-10%	+10%

TOUCH CONTROL



Capacitive Stand-by / Start button
(LED continuously changing colors from white to red)

Heat expelled	4042 W
Air Volume	590 m³/h